

Once the bolt or rod is in position under any circumstances it should not be disturbed and it should be allowed to set.

Cleaning:

Any mixing tools etc should be cleaned within the pot life of the grout. MYK Indufloor clean 500 can be use for this purpose.

Quantity Estimating Guide:

Table mentioned below indicates approximate weight of MYK Anchor HF 66 grout required in grams for 100 mm hole depth.

Hole diameter in MM	Bolt / bar diameter in mm			
	12	16	20	25
20	50	0	--	--
25	100	80	--	--
32	160	140	120	80
38	--	240	200	150
45	--	--	300	260
50	--	--	--	360
62	--	--	--	--

*These figures allow for a 25% wastage factor.

*If the anchor is in very old concrete, masonry or brickwork the wastage factor should be increased.

- The above figure is calculated for 100 mm deep hole

Properties Gel time Temp(0c)	Gel time (min) before	Minimum time Required loading (hours)
20	20	
30	12	
40	08	

Precautions:

The MYK Anchor HF 66 should not fall on the skin when it fall wash with plenty of water and soap, if it falls into eyes wash with plenty of water and take the advice of the doctor

Supply: available in 1 Kg packing {Base (Liquid) + Hardener (Powder)}

Shelf Life:

3 Months from date of manufacturing if stored in cool & dry place under shaded area in sealed air tight packing condition.

Quality Policy:

The information given in the date sheet is based on the years of experience, and found correct to the best of our knowledge. However the success of the product & its application is dependent on many external factors. We are fully assured of our products quality at the time of dispatch. As we are constantly endeavoring to enhance the qualities of our products which may reflect changes in the data sheets. Hence in the event of any doubt on critical parameters it is advisable to consult our technical department.

Technical Support:

Technical information regarding Schomburg range of products can be obtained from the technical cell of MYK Schomburg.

Note:

Information in this technical data sheet is to the best of our knowledge true and accurate. However, such conditions under which our products may be used are beyond our control, recommendation

MYK SCHOMBURG INDIA PVT LTD
(An Indo-German JV)
8-2-703/A, 3rd Floor, Leela Gopal Towers,
Road No. 12, Banjara Hills,
Hyderabad -500 034
Tel: +91 40 3040 0000
Email: mykschomburg.com
www.mykschomburg.com